

## Domain-Specific Screening Tools

Revised July 2021

Domain-specific screening tools can be useful in a number of situations, including when a provider is unsure what to do following the use of first-line screening tool (e.g., scores fall in the borderline range and discussion with parent does not clarify the situation) or if a provider wants to determine whether a more specific clinical issue might be present than is indicated by a first-line, broadband measure (e.g., anxiety, ADHD). In such situations, administering a more comprehensive or more specific screening tool can provide helpful information that can be integrated into a provider's understanding of the child's behavior and their decision-making about follow-up. As with the use of broadband screening tools, domain-specific screening tools should not be used diagnostically. Positive screening results merely indicate risk for problems in the area assessed, and negative screening results do not indicate the absence of mental health challenges. Clinical judgment and parental or personal concern should be considered when determining a course of action. Note that the AAP Mental Health Toolkit also has a comprehensive list of screening tools: <https://www.aap.org/en-us/advocacy-and-policy/aap-health-initiatives/Mental-Health/Pages/Addressing-Mental-Health-Concerns-in-Primary-Care-A-Clinicians-Toolkit.aspx>.

**Table of Contents**

*Screening tools highlighted in yellow in the body of this document have been recently added or updated*

<b>Domain</b>	<b>Pages</b>	<b>Measures included</b>
ADHD (Attention-Deficit/Hyperactivity Disorder)	3	ADHD Rating Scale-IV; Conners Rating Scales-3; SNAP-IV-C; Behavior Rating Inventory of Executive Function (BRIEF); Vanderbilt Diagnostic Rating Scales
Alcohol/Substance Use	4	Car, Relax, Alone, Forget, Friends, Trouble (CRAFFT) 2.1+N; Screening to Brief Intervention (S2BI); Brief Screener for Tobacco, Alcohol, and Other Drugs (BSTAD); Alcohol Use Disorders Identification Test (AUDIT)
Anxiety	4-5	Beck Anxiety Inventory (BAI) for Youth – 2nd Edition; Screen for Anxiety and Related Emotional Disorders (SCARED); Spence Children’s Anxiety Scale (SCAS); General Anxiety Disorder-7 (GAD-7)
Behavior/Conduct Problems	5	Conduct Disorder Scale; Reynolds Adolescent Adjustment Screening Inventory (RAASI)
Depression/Mood	5-6	Center for Epidemiological Studies Depression Scale Modified for Children and Adolescents (CES-DC); Child Depression Inventory – 2nd Edition (CDI-2); Columbia Depression Scale; Kutcher Adolescent Depression Scale (KADS); Patient Health Questionnaire Modified for Teens (Modified PHQ-9)
Eating Disorders	6	AAP Clinical Report (Rosen & the Committee on Adolescence); Bright Futures; Eating Attitudes Test (EAT-26)
Functioning	6-7	Brief Impairment Scale (BIS); Children’s Global Assessment Scale (C-GAS); Columbia Impairment Scale (CIS)
General Mental Health Problems (Internalizing and Externalizing)	7	Beck Youth Inventory - II (BYI-II); Behavior Assessment System for Children- 2nd Edition (BASC-2); Brief Infant Toddler Social-Emotional Assessment Scale (BITSEA); Child Behavior Checklist (CBCL); Early Childhood Screening Assessment (ECSA)
General Wellbeing	8	Guidelines for Adolescent Preventive Services (GAPS) Questionnaire
Parent/Family & Young Adult Wellbeing	8	Abuse Assessment Screen (AAS); Beck Anxiety Inventory; Center for Epidemiologic Studies Depression Scale-Revised (CESD-R); Edinburgh Postnatal Depression Scale (EPDS); Pediatric Intake Form (Family Psychosocial Screen); Safe Environment for Every Kid Parent Screening Questionnaire (SEEK PSQ)
Sleep	9	BEARS; Children Sleep Habits Questionnaire
Trauma	9-10	Children’s Revised Impact of Event Scale (CRIES); Child Trauma Screening Questionnaire (CTSQ); Trauma Symptom Checklist for Children (TSCC); UCLA Post-Traumatic Stress Reaction Index (PTSRI)
Autism Spectrum Disorders	10	Modified Checklist for Autism in Toddlers (MCHAT); Social-Communication Questionnaire (SCQ); Social Responsiveness Scale (SRS); Autism Spectrum Quotient (ASQ); Communication and Symbolic Behavior Scales (CSBS)



Domain / Screener	Age	Specific Areas	Forms - Items	Languages	Cost	Access
<b>ADHD (Attention-Deficit/Hyperactivity Disorder)</b>						
ADHD Rating Scale-IV	5-17 yrs	Attention, impulsivity, hyperactivity	<u>Parent</u> : 18 items <u>Teacher</u> : 18 items	Eng, Span	\$	<a href="http://www.addwarehouse.com/shopsite_sc/store/html/product52.html">http://www.addwarehouse.com/shopsite_sc/store/html/product52.html</a>
Conners Rating Scales-3	6-18 yrs	Inattention, hyperactivity, impulsivity, learning problems, executive functioning, aggression, peer relations, family relations	<u>Parent</u> : 110 items (full), 45 items (short) <u>Teacher</u> : 115 items (full), 41 items (short) <u>Youth</u> : (8yrs+): 99 items (full), 41 items (short)	Eng, Span	\$	<a href="https://www.pearsonassessments.com/store/usassessments/en/Store/Professional-Assessments/Behavior/Comprehensive/Conners-3rd-Edition/p/100000523.html">https://www.pearsonassessments.com/store/usassessments/en/Store/Professional-Assessments/Behavior/Comprehensive/Conners-3rd-Edition/p/100000523.html</a>
SNAP-IV-C (Swanson, Nolan and Pelham Questionnaire)	6-18 yrs	ADHD symptoms and other DSM disorders that may overlap with ADHD	<u>Parent</u> : 90 items <u>Teacher</u> : 90 items	Eng, Other	Free	<a href="https://www.mcpap.com/pdf/SNAPIV.pdf">https://www.mcpap.com/pdf/SNAPIV.pdf</a>
Behavior Rating Inventory of Executive Function (BRIEF)	2-5:11, 5-18 yrs	Executive functioning	<u>Parent</u> : 86 items <u>Teacher</u> : 86 items	Eng	\$	<a href="https://www.parinc.com/Products/Pkey/24">https://www.parinc.com/Products/Pkey/24</a>
Vanderbilt Diagnostic Rating Scales*	6-12 yrs	Inattention, hyperactivity, impulsivity, disruptive behavior, defiance, anxiety, depression	<u>Parent</u> : 55 items <u>Teacher</u> : 43 items 26 follow-up items	Eng, Span	Free	Forms: <a href="http://www.pampapediatrics.com/client_images/File/vanderbilt-forms.pdf">http://www.pampapediatrics.com/client_images/File/vanderbilt-forms.pdf</a>  Scoring: <a href="https://www.uwmedicine.org/sites/stevie/files/2019-11/sodbp_vanderbilt_scoring_instructions.pdf">https://www.uwmedicine.org/sites/stevie/files/2019-11/sodbp_vanderbilt_scoring_instructions.pdf</a>

Alcohol and Substance Use						
CRAFFT 2.1 +N (Car, Relax, Alone, Forget, Friends, Trouble)	~11- 21 yrs	Alcohol and other substance use	Youth (or provider-administered): 4 screener items, 1-6 follow-up items depending on response, with intervention recommendations	Eng, Span, + 11 other languages	Free	<a href="https://crafft.org/get-the-crafft/#dl-clin">https://crafft.org/get-the-crafft/#dl-clin</a> and in AAP Mental Health Toolkit
Screening to Brief Intervention (S2BI)	12-17 yrs	Alcohol and other substance use	Youth: Minimum 3 items; positive responses prompt additional items (up to 7)	Eng	Free	<a href="https://www.drugabuse.gov/ast/s2bi/#/">https://www.drugabuse.gov/ast/s2bi/#/</a>
BSTAD (Brief Screener for Tobacco, Alcohol, and other Drugs)	12-17- yrs	Alcohol and other substance use	Youth: Minimum 3 items; positive responses prompt additional items (up to 14)	Eng	Free	<a href="https://www.drugabuse.gov/ast/bstad/#/">https://www.drugabuse.gov/ast/bstad/#/</a>
Alcohol Use Disorders Identification Test (AUDIT)	Primarily adults but also adolescents	Alcohol use	Youth: 10 items	Ebg	Free	<a href="https://pubs.niaaa.nih.gov/publications/Practitioner/YouthGuide/AUDIT.pdf">https://pubs.niaaa.nih.gov/publications/Practitioner/YouthGuide/AUDIT.pdf</a>
Anxiety						
Beck Anxiety Inventory for Youth – 2 <sup>nd</sup> Edition	7-20 yrs	Fears, specific worries, and physiological symptoms associated with anxiety	Youth: 20 items	Eng	\$	<a href="http://www.pearsonclinical.com/psychology/products/10000153/beck-youth-inventories-second-edition-byiii.html?Pid=015-8014-197#details">http://www.pearsonclinical.com/psychology/products/10000153/beck-youth-inventories-second-edition-byiii.html?Pid=015-8014-197#details</a>
Screen for Anxiety and Related Emotional Disorders (SCARED)  SCARED, 5-item	8+ yrs	Full SCARED: Panic, somatic symptoms, generalized anxiety, separation anxiety, social anxiety, school avoidance	Full SCARED: Parent: 41 items Youth: 41 items  SCARED, 5-item: Youth: 5 items	Eng	Free	Full SCARED: <a href="https://www.pediatricbipolar.pitt.edu/resources/instruments">https://www.pediatricbipolar.pitt.edu/resources/instruments</a> SCARED, 5-item: <a href="https://www.ementalhealth.">https://www.ementalhealth.</a>

		SCARED, 5-item: overall anxiety				<a href="http://www.scaswebsite.com/ca/index.php?m=survey&amp;ID=54">ca/index.php?m=survey&amp;ID=54</a>
Spence Children's Anxiety Scale (SCAS)	2.5-12 yrs	Panic/agoraphobia, social anxiety, separation anxiety, generalized anxiety, obsessions/compulsions	<u>Parent</u> : 34-39 items <u>Youth (8+ yrs)</u> : 45 items	Eng, Span, + 20 other languages	Free	<a href="http://www.scaswebsite.com">http://www.scaswebsite.com</a>
General Anxiety Disorder-7 (GAD-7)	13+ yrs	Generalized Anxiety Disorder, Panic Disorder, Social Phobia and Post-Traumatic Stress Disorder	<u>Youth</u> : 7 Items	Eng, Span,+ 6 more languages	Free	<a href="https://www.mdcalc.com/gad-7-general-anxiety-disorder-7">https://www.mdcalc.com/gad-7-general-anxiety-disorder-7</a>
<b>Behavior-Conduct Problems</b>						
Conduct Disorder Scale	5-22 yrs	Disruptive behaviors, aggression, deceitfulness, theft, rule violations	<u>Parent</u> : 40 items <u>Teacher</u> : 40 items <u>Siblings</u> : 40 items	Eng	\$	<a href="https://www.proedinc.com/Products/10355/conduct-disorder-scale-cds-complete-kit.aspx">https://www.proedinc.com/Products/10355/conduct-disorder-scale-cds-complete-kit.aspx</a>
Reynolds Adolescent Adjustment Screening Inventory (RAASI)	12-19 yrs	Antisocial behavior, anger control, emotional distress, positive self	<u>Youth</u> : 32 items	Eng	\$	<a href="http://www.psychassessments.com.au/Category.aspx?CID=267">http://www.psychassessments.com.au/Category.aspx?CID=267</a>
<b>Depression-Mood</b>						
Center for Epidemiological Studies Depression Scale Modified for Children and Adolescents (CES-DC)	6-17 yrs	Depression, negative emotionality	<u>Youth</u> : 20 items	Eng, Span	Free	<a href="http://www.brightfutures.org/mentalhealth/pdf/professionals/bridges/ces_dc.pdf">http://www.brightfutures.org/mentalhealth/pdf/professionals/bridges/ces_dc.pdf</a>
Child Depression Inventory – 2 <sup>nd</sup> Edition (CDI-2)	7-17 yrs	Cognitive, affective, and behavioral signs of depression	<u>Parent</u> : 17 items <u>Teacher</u> : 12 items <u>Youth</u> : 27 items	Eng, Span	\$	<a href="http://www.pearsonclinical.com/psychology/products/10000636/childrens-depression-inventory-2-cdi2.html?Pid=015-8044-762">http://www.pearsonclinical.com/psychology/products/10000636/childrens-depression-inventory-2-cdi2.html?Pid=015-8044-762</a>
Columbia Depression Scale	~11-20 yrs	Depression, suicidality	<u>Youth</u> : 22 items <u>Parent</u> : 22 items	Eng	Free	<a href="http://www.gladpc.org/">http://www.gladpc.org/</a> and in AAP Mental Health Toolkit. May require permission: <a href="mailto:FisherP@childpsych.columbia.edu">FisherP@childpsych.columbia.edu</a>

Kutcher Adolescent Depression Scale (KADS)	12-22 yrs	Depression, suicidality	Youth: 6 or 11 items	Eng, Other (varies by form)	Free	<a href="http://teenmentalhealth.org/for-health-professionals/clinical-tools/">http://teenmentalhealth.org/for-health-professionals/clinical-tools/</a> (6-item version also available in AAP Mental Health Toolkit)
Patient Health Questionnaire Modified for Teens (Modified PHQ-9)	~12-20 yrs	Depression, suicidality	Youth: 13 items	Eng, Span	Free	<a href="http://www.gladpc.org/">http://www.gladpc.org/</a>
<b>Eating Disorders</b>						
AAP Clinical Report (Rosen & the Committee on Adolescence)		Eating disorders	Clinician	Eng	Free	<a href="http://pediatrics.aappublications.org/content/126/6/1240.full.pdf+html">http://pediatrics.aappublications.org/content/126/6/1240.full.pdf+html</a>
Bright Futures		Eating disorders	Clinician: 12 items	Eng	Free	<a href="http://www.brightfutures.org/mentalhealth/pdf/bridges/eat_disorder.pdf">http://www.brightfutures.org/mentalhealth/pdf/bridges/eat_disorder.pdf</a> (pgs 5-6)
Eating Attitudes Test (EAT-26)	10+ yrs	Dieting, Bulimia and Food Preoccupation and Oral Control	Youth: 26 items	Eng, Span,+ other languages	Free	<a href="https://www.seattlechildrens.org/globalassets/documents/healthcare-professionals/pal/ratings/eat-26-rating-scale.pdf">https://www.seattlechildrens.org/globalassets/documents/healthcare-professionals/pal/ratings/eat-26-rating-scale.pdf</a>
<b>Functioning</b>						
Brief Impairment Scale (BIS)	4-17 yrs	Global functioning in domains of interpersonal relations, school/work, and self-care/self-fulfillment	Parent: 23 items	Eng, Span	Free	<a href="http://www.heardalliance.org/wp-content/uploads/2011/04/Brief-Impairment-Scale-English.pdf">http://www.heardalliance.org/wp-content/uploads/2011/04/Brief-Impairment-Scale-English.pdf</a> and in the AAP Mental Health Toolkit
Children's Global Assessment Scale (C-GAS)	4-16 yrs	Global social and psychiatric functioning	Clinician: 1 item	N/A	Free	<a href="https://www.corc.uk.net/outcome-experience-measures/childrens-global-assessment-scale/">https://www.corc.uk.net/outcome-experience-measures/childrens-global-assessment-scale/</a>

Columbia Impairment Scale (CIS)	Children & teens	Global functioning in domains of interpersonal relations, psychopathology, school performance, and use of leisure time	Parent: 13 items Child: 13 items	Eng, Span	Free	In the AAP Mental Health Toolkit
<b>General Mental Health Problems (Internalizing and Externalizing)</b>						
Beck Youth Inventory - II (BYI-II)	7-18 yrs	Depression, anxiety, anger, disruptive behavior, self-concept (can use separately or combined)	Youth: 20 items per inventory	Eng, Span	\$	<a href="http://www.pearsonclinical.com/psychology/products/100000153/beck-youth-inventories-second-edition-byiii.html?pid=015-8014-197#details">http://www.pearsonclinical.com/psychology/products/100000153/beck-youth-inventories-second-edition-byiii.html?pid=015-8014-197#details</a>
Behavior Assessment System for Children- 2 <sup>nd</sup> Edition (BASC-2)	2-21 yrs	Range of adaptive and problem behaviors (internalizing and externalizing)	Parent: 134-160 items Teacher: 100-139 items Youth (8+yrs): ~20 min	Eng, Span	\$	<a href="https://www.pearsonclinical.ca/en/products/product-master/item-53.html">https://www.pearsonclinical.ca/en/products/product-master/item-53.html</a>
Brief Infant Toddler Social-Emotional Assessment Scale (BITSEA)	12-36 months	Social-emotional and behavioral problems and competencies	Parent: 42 items Child Care Provider: 42 items	Eng, Span, + other languages	Free	<a href="https://eprovide.mapi-trust.org/instruments/brief-infant-toddler-social-emotional-assessment">https://eprovide.mapi-trust.org/instruments/brief-infant-toddler-social-emotional-assessment</a>
Child Behavior Checklist (CBCL)	1.5-18 yrs	Range of internalizing and externalizing social-emotional and behavioral problems	Parent: 99-118 items Teacher: 99-118 items Youth (11yrs+): 112 items	Eng, Span	\$	<a href="http://www.aseba.org/">http://www.aseba.org/</a>
Early Childhood Screening Assessment (ECSA)	18-60 mo. (1.5-5 yrs)	Early childhood mental health problems AND parent stress, parent depression	Parent: 40 items (36 child-focused, 4 parent-focused)	Eng, Span, Romanian	Free	<a href="https://medicine.tulane.edu/infant-institute/measures-manuals">https://medicine.tulane.edu/infant-institute/measures-manuals</a>



<b>General Wellbeing</b>						
Guidelines for Adolescent Preventive Services (GAPS) Questionnaire	11-20 yrs	General mental health surveillance questions	Youth: 72 items (Younger adolescent), 61 items (Older adolescent), Parent: (15 items)	Eng, Span	Free	<a href="http://www.gladpc.org/">http://www.gladpc.org/</a> and in AAP Mental Health Toolkit
<b>Parent/Family &amp; Young Adult Wellbeing</b>						
Abuse Assessment Screen (AAS)	Adolescent and adult women	Domestic violence	Clinician: 5-6 items	Eng, Span	Free	<a href="http://www.dbhds.virginia.gov/library/mental%20health%20services/scrn-pw-aas-eng.pdf">http://www.dbhds.virginia.gov/library/mental%20health%20services/scrn-pw-aas-eng.pdf</a>
Beck Anxiety Inventory	17-80 yrs	Subjective, somatic, or pain-related symptoms of anxiety	Self-Report: 21 items	Eng, Span	\$	<a href="http://www.pearsonclinical.com/education/products/10000251/beck-anxiety-inventory-bai.html">http://www.pearsonclinical.com/education/products/10000251/beck-anxiety-inventory-bai.html</a>
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	18 yrs+	Depression	Self-Report: 20 items	Eng, Span	Free	<a href="http://www.valueoptions.com/providers/Education_Center/Provider_Tools/Depression_Screening.pdf">http://www.valueoptions.com/providers/Education_Center/Provider_Tools/Depression_Screening.pdf</a>
Edinburgh Postnatal Depression Scale (EPDS)	18 yrs +	Depression	Self-Report (new mothers): 10 items	Eng, Span, >30 other	Free	<a href="http://www.fresno.ucsf.edu/pediatrics/downloads/edinburghscale.pdf">http://www.fresno.ucsf.edu/pediatrics/downloads/edinburghscale.pdf</a>
Pediatric Intake Form (Family Psychosocial Screen)	Caregivers	Depression, substance use, domestic violence, parental abuse history, social supports	Self-Report: 22 items	Eng, Span	Free	<a href="http://www.brightfutures.org/mentalhealth/pdf/professionals/ped_intake_form.pdf">http://www.brightfutures.org/mentalhealth/pdf/professionals/ped_intake_form.pdf</a>
Safe Environment for Every Kid Parent Screening Questionnaire (SEEK PSQ)	Caregivers of children 2 mo-5 yrs	Family stressors and risk factors for child maltreatment	15 items	Eng	Free	<a href="http://umm.edu/programs/childrens/services/child-protection/seek-project;hdubowitz@peds.umaryland.edu">http://umm.edu/programs/childrens/services/child-protection/seek-project;hdubowitz@peds.umaryland.edu</a>

<b>Sleep</b>						
BEARS	2-12 yrs	Bedtime issues, excessive daytime sleepiness, night awakenings, regularity and duration of sleep, snorting	5 items	Eng	Free	Available on QITeamspace and online: <a href="http://www.emeraldcoastsleep.com/wp-content/uploads/2015/06/BEARS_SLEEP_QUESTIONNAIRE.pdf">http://www.emeraldcoastsleep.com/wp-content/uploads/2015/06/BEARS_SLEEP_QUESTIONNAIRE.pdf</a>
Children Sleep Habits Questionnaire	4-10 yrs (2-18 yrs)	Bedtime resistance, sleep onset delay, sleep duration, sleep anxiety, night-waking, parasomnias, sleep disordered breathing, daytime sleepiness	Parent: 22 items (brief) 33 items (full)	Eng	Free	22 Item version: <a href="http://njaap.org/wp-content/uploads/2016/04/Childrens-Sleep-Habits-Questionnaire.pdf">http://njaap.org/wp-content/uploads/2016/04/Childrens-Sleep-Habits-Questionnaire.pdf</a> Ref: <a href="http://depts.washington.edu/dbpeds/Screening%20Tools/CSHQ%20article.pdf">http://depts.washington.edu/dbpeds/Screening%20Tools/CSHQ%20article.pdf</a>
<b>Trauma</b>						
Children's Revised Impact of Event Scale (CRIES)	8-18 yrs	Impact of trauma (intrusion, avoidance, arousal)	Youth: 8 items	Eng, Span, + other	Free	<a href="https://www.corc.uk.net/outcome-experience-measures/child-revised-impact-of-events-scale">https://www.corc.uk.net/outcome-experience-measures/child-revised-impact-of-events-scale</a>
Child Trauma Screening Questionnaire (CTSQ)	7-16 yrs	Post-traumatic stress (Re-experiencing & hyperarousal)	Youth: 10 items	Eng	Free	<a href="http://www.psid.org.au/assets/files/child-trauma-screening-questionnaire-for-children.pdf">http://www.psid.org.au/assets/files/child-trauma-screening-questionnaire-for-children.pdf</a>
Trauma Symptom Checklist for Children (TSCC)	3-16 yrs	Trauma-related symptoms	Parent (3-12 yrs): 90 items Youth (8-16 yrs): 54 items	Eng	\$	<a href="https://www.parinc.com/Products/Pkey/461">https://www.parinc.com/Products/Pkey/461</a>

UCLA Post-Traumatic Stress Reaction Index (PTSRI)	6-18 yrs	Exposure to traumatic experiences and impact of traumatic events	Parent: 21 items Child (7-12 yrs): 20 items Youth (13-18 yrs): 22 items	Eng, Span, + other	Free	<a href="https://www.ptsd.va.gov/professional/assessment/child/ucla_child_reaction_dsm-5.asp">https://www.ptsd.va.gov/professional/assessment/child/ucla_child_reaction_dsm-5.asp</a>  <a href="https://istss.org/clinical-resources/assessing-trauma/ucla-ptsd-assessment-tools">https://istss.org/clinical-resources/assessing-trauma/ucla-ptsd-assessment-tools</a>
<b>Autism Spectrum Disorders</b>						
Modified Checklist for Autism in Toddlers (MCHAT)	16-30 months	Early signs of autism and identify developmental delay	Parent: 20 items	Eng, Span, + other languages	Free	<a href="https://www.autismspeaks.org/screen-your-child">https://www.autismspeaks.org/screen-your-child</a>  <a href="https://m-chat.org">https://m-chat.org</a>
Social-Communication Questionnaire (SCQ)	4+ years	Screening for autism spectrum disorders	Parent: 65 items Teacher: 65 items	Eng, Span, + other languages	\$	<a href="https://www.wpspublish.com/scq-social-communication-questionnaire#simpleproducts">https://www.wpspublish.com/scq-social-communication-questionnaire#simpleproducts</a>
Social Responsiveness Scale (SRS)	2.5 + years	"Distinguishes autism spectrum conditions from other child psychiatric conditions by identifying presence and extent of autistic social impairment"	Parent: 20 items	Eng, Span, + other languages	\$	<a href="https://www.wpspublish.com/srs-social-responsiveness-scale">https://www.wpspublish.com/srs-social-responsiveness-scale</a>
Autism Spectrum Quotient (ASQ)	4+ years	Measuring the severity of Autism-Spectrum Disorder and utilized for research.	Parent: 50 items Self Report: 50 items	Eng, Span, + other languages	Free	<a href="https://www.autismresearchcentre.com/arc_tests">https://www.autismresearchcentre.com/arc_tests</a>
Communication and Symbolic Behavior Scales (CSBS)	6-24 months	"The first step in routine screening to see if a developmental evaluation is needed by examining 7 key predictors of later language delays"	Parent: 22 items	Eng, Span, + other languages	Free	<a href="https://brookespublishing.com/product/csbs-dp-itc/">https://brookespublishing.com/product/csbs-dp-itc/</a>